Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	355	726/6,18.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/06 13:58
L2	6298	709/203.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/06 13:59
L3	706	(multiple several many another different separate database) near2 ((authenticat\$3 verif\$7) near1 (method methodology technique))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 13:59
L4	15	(1 2) and L3	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/06 13:59
S1	10	(("6691232") or ("6170057") or ("5721780") or ("6470447") or ("6278449") or ("6185612") or ("5930804") or ("5909503") or ("5875432") or ("6446204")).PN.	USPAT	OR	OFF	2006/03/28 15:11
S2	11069962	monitor\$3 manag\$3 control\$3 regulat\$3 select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:06
S3	3783736	client user terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:07
S4	383561	authenticat\$3 verif\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:07
S5	4804545	master lead primary controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:08

S6	136513	S5 near2 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:09
S7	726857	S2 near4 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:09
S8	42104	S2 near3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:09
S9	330	S6 with S8 same S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:12
S10	113	S9 and (@ad<"20000229" @rlad<"20000229")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 18:54
S11	383561	authenticat\$3 verif\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 18:52
S12	40934	S11 near2 (method technique)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 18:52
S13	4804545	master lead primary controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 18:53

4/6/2006 2:07:39 PM Page 2

S14	395277	(select\$3 choos\$3 choice pick\$3) with S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 18:53
S15	50	S14 with S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 18:54
S16	22	S15 and (@ad<"20000229" @rlad<"20000229")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 18:54
S17	27284	(multiple several many another different separate) near2 (computer adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:11
S19	703	(multiple several many another different separate database) near2 ((authenticat\$3 verif\$7) near1 (method methodology technique))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:13
S20	30	S19 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:14
S21	71	(select\$3 choos\$3 pick\$3 choice designat\$3) same S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:16
S22	0	S21 same S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:15

S23	2	S21 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:15
S24	0	PCT/JP99/04178.pct.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:35
S25	0	PCT/JP99/04178.ptan.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 10:35
S26	1598	switch\$3 near3 identity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:34
S27	130124	alias impersonat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:34
S28	131625	S27 S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:34
S29	16504	(add\$3 append\$3 merg\$3 combin\$3) near3 (text context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:35
S30	18676	(identity name id identifier identify\$3) near5 (FIFO queue buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:35

624		C20 C20	110 000:15	OD	011	2006/04/27
S31	17	S29 same S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:36
S32	17	S31 and (@ad<"200111018" @rlad<"20011018")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:36
S33	11	S31 and (@ad<"20000229" @rlad<"20000229")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:37
S34	236940	(client administrat\$3 user system internal external) near3 (name identity identifier identify\$3 ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:37
S35	2204	S28 same S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:38
S36	71	S35 same (right permission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:38
S37	0	S29 same S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:38
S38	19778	S28 and (map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:39

S39	7900	(map\$4 switch\$3 chang\$3 substitut\$3 alter\$3) near3 identity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:39
S40	339	(switch\$3 swap\$4 map\$4 substitut\$3) with (user adj identity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:40
S41	2	S40 same (add\$3 append\$3) near3 (text context)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:41
S42	0	S41 same (queue buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:42
S43	1	S40 same ((add\$3 append\$3) with ((context text) near5 (name identity)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:43
S44	517	S40 (chang\$3 with (user adj identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:43
S45	1	S44 same ((add\$3 append\$3) with ((context text) near5 (name identity)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:43
S46	3759	web near3 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:44

S47	1727	S46 and (validat\$3 authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:44
S48	387	S46 same (validat\$3 authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:44
S49	27	S48 and (@ad<"20000229" @rlad<"20000229")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:45
S50	2	S46 same impersonat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:45
S51	8	portal same impersonat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:45
S52	36	S48 and ((switch\$3 chang\$3) near3 identity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:43
S53	20088	authenticat\$3 near3 (method scheme ability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:43
S54	1169	S53 with (gateway control intermediat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:43

S55	423	S54 same (server service provider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:44
S56	227	S55 same (client user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:46
S57	1	("5586260").PN.	USPAT	OR	OFF	2006/04/05 17:45
S58	44	S56 and (@ad<"20000229" @rlad<"20000229")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:46
S59	171	("4438824"   "4652698"   "4779224"   "4962531"   "5010572"   "5204961"   "5218637"   "5235642"   "5241594"   "5321841"   "5457797").PN. OR ("5586260"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/06 13:58